Couplings type Guillemin Aluminium

Aluminium koppelingen - type Guillemin

Guillemin coupling with serrated hose shank - with latch - *with collar

Guillemin koppeling met gekartelde slangpilaar - met grendel - *met kraag

Par t-No.	Material	WP	Dimension	Shank
GH075AL20	Aluminum	16 bar	DN20	20mm
GH075AL	Aluminum	16 bar	DN20	25mm
GH100AL25	Aluminum	16 bar	DN25	25mm
GH100AL	Aluminum	16 bar	DN25	30mm
GH125AL	Aluminum	16 bar	DN32	35mm
GH150AL35	Aluminum	16 bar	DN40	35mm
GH150AL38	Aluminum	16 bar	DN40	38mm
GH150AL*	Aluminum	16 bar	DN40	40mm
GH150AL45	Aluminum	16 bar	DN40	45mm
GH200AL*	Aluminum	16 bar	DN50	50mm
GH200AL55	Aluminum	16 bar	DN50	55mm
GH250AL*	Aluminum	16 bar	DN65	64mm
GH250AL70	Aluminum	16 bar	DN65	70mm
GH300AL*	Aluminum	16 bar	DN80	75mm
GH300AL80*	Aluminum	16 bar	DN80	81mm
GH300AL90	Aluminum	16 bar	DN80	90mm
GH400AL100*	Aluminum	16 bar	DN100	100mm
GH400AL102*	Aluminum	16 bar	DN100	102mm
GH400AL110	Aluminum	16 bar	DN100	110mm
GH500AL*	Aluminum	16 bar	DN125	125mm
GH600AL*	Aluminum	16 bar	DN150	152mm

Handelsweg 12 | 1785 AE Den Helder | The Netherlands | info@unishore.nl | +31 (0)223 768 213 unishore.nl

Guillemin coupling with swivel serrated hose shank (also coupled rotatable) - with latch - *with collar

Guillemin koppeling met draaibare gekartelde slangpilaar (ook draaibaar gekoppeld) - met grendel - *met kraag

Par t-No.	Material	WP	Dimension	Shank	
GH300AL76-SW*	Aluminum	16 bar	DN80	76mm	
GH300AL80-SW*	Aluminum	16 bar	DN80	80mm	
GH300AL90-SW	Aluminum	16 bar	DN80	90mm	
GH400AL100-SW*	Aluminum	16 bar	DN100	100mm	
GH400AL102-SW*	Aluminum	16 bar	DN100	102mm	
GH400AL110-SW	Aluminum	16 bar	DN100	110mm	

Guillemin coupling BSP male thread - with latch

Guillemin koppeling met gekartelde slangpilaar - met grendel - *met kraag

Part-No.	Material	WP	Dimension	Thread	
GML075AL	Aluminum	16 bar	DN20	3/4"	
GML100AL	Aluminum	16 bar	DN25	1"	
GML125AL	Aluminum	16 bar	DN32	1 1/4"	
GML150AL	Aluminum	16 bar	DN40	1 1/2"	
GML200AL	Aluminum	16 bar	DN50	2"	
GML250AL50	Aluminum	16 bar	DN65	2"	
GML250AL	Aluminum	16 bar	DN65	2 1/2"	
GML300AL	Aluminum	16 bar	DN80	3"	
GML400AL	Aluminum	16 bar	DN100	4"	
GML600AL	Aluminum	16 bar	DN150	6"	

Guillemin coupling with BSP female thread - with latch

Guillemin koppeling met BSP binnendraad - met vergrendeling

Part-No.	Material	WP	Dimension	Thread	
GFL075AL	Aluminum	16 bar	DN20	3/4"	
GFL100AL	Aluminum	16 bar	DN25	1"	
GFL125AL	Aluminum	16 bar	DN32	1 1/4"	
GFL150AL	Aluminum	16 bar	DN40	1 1/2"	
GFL200AL40	Aluminum	16 bar	DN50	1 1/2"	
GFL200AL	Aluminum	16 bar	DN50	2"	
GFL250AL50	Aluminum	16 bar	DN65	2"	
GFL250AL	Aluminum	16 bar	DN65	2 1/2"	
GFL300AL65	Aluminum	16 bar	DN80	2 1/2"	
GFL300AL	Aluminum	16 bar	DN80	3"	
GFL400AL80	Aluminum	16 bar	DN100	3"	
GFL400AL	Aluminum	16 bar	DN100	4"	
GFL500AL	Aluminum	16 bar	DN125	5"	
GFL600AL	Aluminum	16 bar	DN150	6"	

*Full flow - Limited function of the swiveling

Guillemin coupling with swivel BSP female thread - with latch

Guillemin koppeling met draaibare BSP binnendraad - met vergrendeling

Part-No.	Material	WP	Dimension	Thread	
GFL 300AL-SW	Aluminum	16 bar	DN80	3"	
GFL300AL-SWF*	Aluminum	16 bar	DN80	3"	
GFL400AL-SW	Aluminum	16 bar	DN100	4"	
GFL400AL-SWF*	Aluminum	16 bar	DN100	4"	

Guillemin coupling with BSP female thread - without latch

Guillemin koppeling met BSP binnendraad - zonder vergrendeling

Part-No.	Material	WP	Dimension	Thread
GF075AL	Aluminum	16 bar	DN20	3/4"
GF100AL	Aluminum	16 bar	DN25	1"
GF125AL	Aluminum	16 bar	DN32	1 1/4"
GF150AL	Aluminum	16 bar	DN40	1 1/2"
GF200AL	Aluminum	16 bar	DN50	2"
GF250AL	Aluminum	16 bar	DN65	2 1/2"
GF300AL	Aluminum	16 bar	DN80	3"
GF400AL	Aluminum	16 bar	DN100	4"

Guillemin Cap - with latch

Guillemin Cap - met sluiting

Part-No.	Material	WP	Dimension
GBC075AL	Aluminum	16 bar	DN20
GBC100AL	Aluminum	16 bar	DN25
GBC125AL	Aluminum	16 bar	DN32
GBC150AL	Aluminum	16 bar	DN40
GBC200AL	Aluminum	16 bar	DN50
GBC250AL	Aluminum	16 bar	DN65
GBC300AL	Aluminum	16 bar	DN80
GBC400AL	Aluminum	16 bar	DN100
GBC600AL	Aluminum	16 bar	DN150

Guillemin Plug - without latch

Guillemin Cap - met sluiting

Part-No.	Material	WP	Dimension
GC150AL	Aluminum	16 bar	DN40
GC200AL	Aluminum	16 bar	DN50
GC250AL	Aluminum	16 bar	DN65
GC300AL	Aluminum	16 bar	DN80
GC400AL	Aluminum	16 bar	DN100

Guillemin reducer - with latch

Guillemin verloopstuk - met vergrendeling

Part-No.	Material	WP	DN1	DN2
GR150100AL	Aluminum	16 bar	DN40	DN25
GR150125AL	Aluminum	16 bar	DN40	DN32
GR200100AL	Aluminum	16 bar	DN50	DN25
GR200150AL	Aluminum	16 bar	DN50	DN40
GR250200AL	Aluminum	16 bar	DN65	DN50
GR300150AL	Aluminum	16 bar	DN80	DN40
GR300200AL	Aluminum	16 bar	DN80	DN50
GR300250AL	Aluminum	16 bar	DN80	DN65
GR400150AL	Aluminum	16 bar	DN100	DN40
GR400200AL	Aluminum	16 bar	DN100	DN50
GR400250AL	Aluminum	16 bar	DN100	DN65
GR400300AL	Aluminum	16 bar	DN100	DN80
GR600400AL	Aluminum	16 bar	DN150	DN100

Handelsweg 12 | 1785 AE Den Helder | The Netherlands | info@unishore.nl | +31 (0)223 768 213 unishore.nl

GFR to Guillemin - with latch

GFR naar Guillemin - met vergendeling

Par t-No.	Material	WP	G uille min	GFR
GFRF300GL300AL	Aluminum	16 bar	DN80	Female DN80
GFRM300GL300AL	Aluminum	16 bar	DN80	Male DN80

Reduction female BSPP thread - with short thread

Verloopstuk binnendraad BSPP - met korte draad

Part-No.	Material	WP	Thread	Thread
FFA2015	Aluminum	16 bar	2"	1 1/2"
FFA2515	Aluminum	16 bar	2 1/2"	1 1/2"
FFA2520	Aluminum	16 bar	2 1/2"	2"
FFA3015	Aluminum	16 bar	3"	1 1/2"
FFA3020	Aluminum	16 bar	3"	2"
FFA3025	Aluminum	16 bar	3"	2 1/2"
FFA4015	Aluminum	16 bar	4"	1 1/2"
FFA4020	Aluminum	16 bar	4"	2"
FFA4025	Aluminum	16 bar	4"	2 1/2"
FFA4030	Aluminum	16 bar	4"	3"

Handelsweg 12 | 1785 AE Den Helder | The Netherlands | info@unishore.nl | +31 (0)223 768 213 unishore.nl

Reducer female thread BSPP - female thread BSPP - NBR flat sealing

Verloopstuk BSPP binnendraad - BSPP binnendraad

Part-No.	Material	WP	Thread	Thread	
FFA6040FL	Aluminum		6"	4"	

Handelsweg 12 | 1785 AE Den Helder | The Netherlands | info@unishore.nl | +31 (0)223 768 213