

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A



Male adapter type A - MIL A-A-59326A with female BSPP thread
Adapter mannelijk - type A met BSPP binnendraad messing

Part-No.	Material	WP	Dimension	Thread	
A050BR	Brass	17 bar	DN15	1/2"	
A075BR	Brass	17 bar	DN20	3/4"	
A100BR	Brass	17 bar	DN25	1"	
A125BR	Brass	17 bar	DN32	1 1/4"	
A150BR	Brass	17 bar	DN40	1 1/2"	
A200BR	Brass	17 bar	DN50	2"	
A250BR	Brass	10 bar	DN65	2 1/2"	
A300BR	Brass	10 bar	DN80	3"	
A400BR	Brass	10 bar	DN100	4"	
A500BR	Brass	5 bar	DN125	5"	
A600BR	Brass	5 bar	DN150	6"	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A

Female coupler type B - MIL A-A-59326A with male BSPT thread - NBR gasket

Camlock vrouwelijk - type B met buitendraad - messing



Part-No.	Material	WP	Dimension	Thread	
B050BR2	Brass	17 bar	DN15	1/2"	
B075BR	Brass	17 bar	DN20	3/4"	
B100BR	Brass	17 bar	DN25	1"	
B125BR	Brass	17 bar	DN32	1 1/4"	
B150BR	Brass	17 bar	DN40	1 1/2"	
B200BR	Brass	17 bar	DN50	2"	
B250BR	Brass	10 bar	DN65	2 1/2"	
B300BR	Brass	10 bar	DN80	3"	
B400BR	Brass	10 bar	DN100	4"	
B500BR	Brass	5 bar	DN125	5"	
B600BR	Brass	5 bar	DN150	6"	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A



Female coupler type C - MIL A-A-59326A with grooved hose-shank - NBR gasket

Camlock vrouwelijk - type C met slangpilaar - messing

Part-No.	Material	WP	Dimension	Shank	
C050BR2	Brass	17 bar	DN15	13mm	
C075BR	Brass	17 bar	DN20	21mm	
C100BR	Brass	17 bar	DN25	27mm	
C125BR	Brass	17 bar	DN32	34mm	
C150BR	Brass	17 bar	DN40	40mm	
C200BR	Brass	17 bar	DN50	51mm	
C250BR	Brass	10 bar	DN65	64mm	
C300BR	Brass	10 bar	DN80	76mm	
C400BR	Brass	10 bar	DN100	103mm	
C500BR	Brass	5 bar	DN125	128mm	
C600BR	Brass	5 bar	DN150	152mm	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A

Female coupler type D - MIL A-A-59326A with female BSPP thread - NBR gasket

Camlock vrouwelijk - type D met binnendraad - messing



Part-No.	Material	WP	Dimension	Thread	
D050BR2	Brass	17 bar	DN15	1/2"	
D075BR	Brass	17 bar	DN20	3/4"	
D100BR	Brass	17 bar	DN25	1"	
D125BR	Brass	17 bar	DN32	1 1/4"	
D150BR	Brass	17 bar	DN40	1 1/2"	
D200BR	Brass	17 bar	DN50	2"	
D250BR	Brass	10 bar	DN65	2 1/2"	
D300BR	Brass	10 bar	DN80	3"	
D400BR	Brass	10 bar	DN100	4"	
D500BR	Brass	5 bar	DN125	5"	
D600BR	Brass	5 bar	DN150	6"	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A



Male adapter type E - MIL A-A-59326A with grooved hose-shank Adapter mannelijk - type E met slangpilaar messing

Part-No.	Material	WP	Dimension	Shank	
E050BR	Brass	17 bar	DN15	13mm	
E075BR	Brass	17 bar	DN20	21mm	
E100BR	Brass	17 bar	DN25	27mm	
E125BR	Brass	17 bar	DN32	34mm	
E150BR	Brass	17 bar	DN40	40mm	
E200BR	Brass	17 bar	DN50	51mm	
E250BR	Brass	10 bar	DN65	64mm	
E300BR	Brass	10 bar	DN80	76mm	
E400BR	Brass	10 bar	DN100	103mm	
E500BR	Brass	5 bar	DN125	128mm	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A

Male adapter type F - MIL A-A-59326A with male BSPT thread

Adapter mannelijk - type F met BSPT buitendraad messing



Part-No.	Material	WP	Dimension	Thread	
F050BR	Brass	17 bar	DN15	1/2"	
F075BR	Brass	17 bar	DN20	3/4"	
F100BR	Brass	17 bar	DN25	1"	
F125BR	Brass	17 bar	DN32	1 1/4"	
F150BR	Brass	17 bar	DN40	1 1/2"	
F200BR	Brass	17 bar	DN50	2"	
F250BR	Brass	10 bar	DN65	2 1/2"	
F300BR	Brass	10 bar	DN80	3"	
F400BR	Brass	10 bar	DN100	4"	
F500BR	Brass	5 bar	DN125	5"	
F600BR	Brass	5 bar	DN150	6"	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A



Dust cap type DC - MIL A-A-59326A - NBR gasket

Camlock vrouwelijke kap - type DC messing

Part-No.	Material	WP	Dimension	
DC050BR2	Brass	17 bar	DN15	
DC075BR	Brass	17 bar	DN20	
DC100BR	Brass	17 bar	DN25	
DC125BR	Brass	17 bar	DN32	
DC150BR	Brass	17 bar	DN40	
DC200BR	Brass	17 bar	DN50	
DC250BR	Brass	10 bar	DN65	
DC300BR	Brass	10 bar	DN80	
DC400BR	Brass	10 bar	DN100	
DC500BR	Brass	5 bar	DN125	
DC600BR	Brass	5 bar	DN150	

Quick couplings Camlock type MIL A-A-59326A Brass

Camlock messing koppelingen - type MIL A-A-59326A

Dust plug type DP - MIL A-A-59326A

Camlock vrouwelijke kap - type DP messing



Part-No.	Material	WP	Dimension	
DP050BR	Brass	17 bar	DN15	
DP075BR	Brass	17 bar	DN20	
DP100BR	Brass	17 bar	DN25	
DP125BR	Brass	17 bar	DN32	
DP150BR	Brass	17 bar	DN40	
DP200BR	Brass	17 bar	DN50	
DP250BR	Brass	10 bar	DN65	
DP300BR	Brass	10 bar	DN80	
DP400BR	Brass	10 bar	DN100	
DP500BR	Brass	5 bar	DN125	
DP600BR	Brass	5 bar	DN150	