

# General Use Band & Buckle

## Type 201 Stainless Steel

This is the standard choice of BAND-IT products, offering very high strength, clean appearance and good resistance to oxidation and weathering. This non-magnetic material is the choice for municipal and industrial markets.


### BAND-IT® Band 201 Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
<b>201 Stainless Steel BAND-IT® Band</b>										
C20299	201 SS	1/4	6.4	0.020	0.51	500	100/Roll	1.7	0.7	C00169 C001DA C00369 C07569* C08569* C40099 J02069*
C20399	201 SS	3/8	9.6	0.025	0.64	900	100/Roll	3.2	1.5	
C203Y9	201 SS	3/8	9.6	0.025	0.64	900	Yellow Tote 100/Roll	3.6	1.6	
C20499	201 SS	1/2	12.7	0.030	0.76	1500	100/Roll	5.1	2.3	
C204B9	201 SS	1/2	12.7	0.030	0.76	1500	Blue Tote 100/Roll	5.5	2.5	
C20599	201 SS	5/8	15.8	0.030	0.76	1875	100/Roll	6.4	2.9	
C205G9	201 SS	5/8	15.8	0.030	0.76	1875	Green Tote 100/Roll	6.8	3.1	
C20699	201 SS	3/4	19.1	0.030	0.76	2250	100/Roll	7.7	3.5	
C206R9	201 SS	3/4	19.1	0.030	0.76	2250	Red Tote 100/Roll	8.2	3.7	
<b>BAND-IT® Buckle Ear-Lokt Style</b>										
C25299**	201 SS	1/4	6.4				100/Box	0.3	0.1	C00169 C001DA C00369 C07569* C08569* C40099 J02069*
C25399	201 SS	3/8	9.6				100/Box	0.8	0.4	
C25499	201 SS	1/2	12.7				100/Box	2.1	1.0	
C25599	201 SS	5/8	15.8				100/Box	2.4	1.1	
C25699	201 SS	3/4	19.1				100/Box	3.7	1.7	
C25699TL***	201 SS	3/4	19.1				100/Box	4.5	2.0	
* The J02069 can be used with 3/8" maximum width product. C07569/C08569 tools for use on max 0.025" (0.63mm) thickness										
** Clip Style										
*** The Tru-Lokt™ buckle's wing feature indicates when proper tension has been reached!										



## Giant Band 201 Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Finish	Application Tools
		in	mm	in	mm			lbs	kg		
<b>Giant Band</b>											
G43099*	201 SS	3/4	19.1	0.044	1.10	3300	100/Roll	11.6	5.4		C00369 G40269 G40269
G43199	201 SS	1	25.4	0.044	1.10	4400	100/Roll	13.7	6.4		
G43299	201 SS	1-1/4	31.8	0.044	1.10	5500	100/Roll	17.2	8.0		
<b>Giant Buckle Ear-Lokt Style</b>											
G44099	201 SS	3/4	19.1				25/Box	1.8	0.8		C00369 G40269 G40269
G44199	201 SS	1	25.4				25/Box	2.4	1.1		
G44299	201 SS	1-1/4	31.8				25/Box	3.2	1.4		
*C00369 tool to be used for 3/4"											



## Scru-Lokt Buckle Stainless Steel

Part No.	Material	Width		Package Quantity	Weight		Application Tools
		in	mm		lbs	kg	
<b>Stainless Steel Scru-Lokt Buckle</b>							
C72099	301 SS 1/4 Hard	1/4	6.4	50/Box	0.3	0.1	Hex Key
C72299	301 SS 1/4 Hard	3/8	9.6	50/Box	0.5	0.2	
C72499	301 SS 1/4 Hard	1/2	12.7	25/Box	0.5	0.2	
C72599	201 SS	5/8	15.8	25/Box	0.8	0.4	
C72699	201 SS	3/4	19.1	25/Box	0.9	0.4	

# General Use Band & Buckle

## Type 201 Stainless Steel

Also known as Value Series Stainless steel – Typically non-magnetic, this economy steel is suitable for light duty applications when the benefits of stainless steel are required.

### VALU-STRAP™ Band Stainless Steel

Part No.	Material	Width		Thickness		Package Quantity	Weight		Application Tools
		in	mm	in	mm		lbs	kg	
VALU-STRAP™									
C12399	200/300 SS	3/8	9.5	0.015	0.38	300'/Roll	5.7	2.6	C00169 C07569 C08569 C40099 J02069
C12499	200/300 SS	1/2	12.7	0.015	0.38	300'/Roll	7.7	3.5	
C12599	200/300 SS	5/8	15.8	0.015	0.38	300'/Roll	9.7	4.4	
C12699	200/300 SS	3/4	19.1	0.015	0.38	300'/Roll	11.7	5.3	
C13399	200/300 SS	3/8	9.5	0.015	0.38	100'/Roll	2.2	1.0	
C13499	200/300 SS	1/2	12.7	0.015	0.38	100'/Roll	2.9	1.3	
C13599	200/300 SS	5/8	15.8	0.015	0.38	100'/Roll	3.6	1.7	
C13699	200/300 SS	3/4	19.1	0.015	0.38	100'/Roll	4.4	2.0	
*Not available in the US									



### VALU-STRAP™ Plus Band Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
VALU-STRAP™ Plus										
C19199	200/300 SS	3/8	9.5	0.020	0.51	637	100'/Roll	2.8	1.3	C00169 C00369 C07569 C08569 C40099 J02069
C18189	200/300 SS	1/2	12.7	0.020	0.51	850	100'/Roll	3.6	1.6	
C17199	200/300 SS	5/8	15.8	0.020	0.51	1000	100'/Roll	4.5	2.0	
C16189	200/300 SS	3/4	19.1	0.020	0.51	1275	100'/Roll	5.4	2.5	



### Valuband Stainless Steel

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
Valuband										
C14499	200/300 SS	1/2	12.7	0.025	0.64	1000	100'/Roll	4.5	2.0	C00169 C00369 C07569 C08569 C40099
C14599	200/300 SS	5/8	15.8	0.025	0.64	1250	100'/Roll	5.6	2.6	
C14699	200/300 SS	3/4	19.1	0.025	0.64	1590	100'/Roll	6.7	3.0	



# General Use Band & Buckle

## Stainless Steel Valuclip

Stainless Steel Valucips are generally used for light duty and general banding applications, while our Stainless Steel Clips are used on applications that require more strength. Our Valucips are made thinner than our Stainless Steel Clips.

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>Valuclip</b>						
C15399	200/300 SS	3/8	9.6	100/Box	0.6	0.3
C15499	200/300 SS	1/2	12.7	100/Box	1.1	0.5
C15489	200/300 SS	1/2	12.7	1000/Box	11	5
C15599	200/300 SS	5/8	15.8	100/Box	1.2	0.5
C15699	200/300 SS	3/4	19.1	100/Box	2.1	0.9



## Stainless Steel Clip

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>Stainless Steel Clip</b>						
C25299	200/300 SS	1/4	6.4	100/Box	0.3	0.1
L15499	200/300 SS	1/2	12.7	100/Box	1.5	0.7
L15599	200/300 SS	5/8	15.8	100/Box	1.8	0.8
L15699	200/300 SS	3/4	19.1	100/Box	2.6	1.2



## Galvanized Carbon Steel “GCS”

Carbon steel which has been electro galvanized. This is an economical choice offering medium strength.

### Galvanized Carbon Steel Band

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
<b>Galvanized Carbon Steel Band</b>										
C30499	GCS	1/2	12.7	0.03	0.762	1125	100/Roll	5.1	2.4	C00169 C00369 C07569 C08569 C40099 J02069*
C30599	GCS	5/8	15.8	0.03	0.762	1405	100/Roll	6.4	3.0	
C30699	GCS	3/4	19.1	0.03	0.762	1690	100/Roll	7.7	3.6	



### Galvanized Carbon Steel Buckle

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>Galvanized Carbon Steel Ear-Lokt Buckle</b>						
C35499	GCS	1/2	12.7	100/Box	2.1	1.0
C35599	GCS	5/8	15.8	100/Box	2.4	1.1
C35699	GCS	3/4	19.1	100/Box	3.7	1.7



# Corrosion Resistant Band & Buckle

## Type 304 Stainless Steel Band

This alloy will provide a very good corrosion resistance in fresh water and industrial atmospheres. Often selected for light duty applications in food processing, chemical, power transmission and cable management.

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
<b>304 Stainless Steel Band</b>										
C91399	304 SS	3/8	9.6	0.020	0.51	600	200'/Roll	5.9	2.7	C00169 C00369 C07569 C08569 C40099 J02069*
C91499	304 SS	1/2	12.7	0.020	0.51	850	200'/Roll	7.6	3.4	
C91599	304 SS	5/8	15.8	0.020	0.51	1000	200'/Roll	9.5	4.3	
C91699	304 SS	3/4	19.1	0.020	0.51	1275	200'/Roll	11.3	5.0	



\*The J02069 can be used with 3/8" maximum width product.

## Type 316 Stainless Steel Band (coated & uncoated)

This alloy provides superior corrosion resistance in fresh water and typical atmospheres and is non-magnetic. Ideal for food process, chemical / agricultural hose assemblies, marine splash zones and some acidic environments.

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
<b>316 Stainless Steel Band Coated</b>										
AE4339	316 SS	3/8	9.6	0.048**	1.22**	505	82.5'/Roll	2.6	1.2	C07569 C08569
AE4349	316 SS	1/2	12.7	0.048**	1.22**	670	82.5'/Roll	3.5	1.6	
AE4359	316 SS	5/8	15.8	0.048**	1.22**	840	82.5'/Roll	4.4	2.0	
AE4369	316 SS	3/4	19.1	0.048**	1.22**	1000	82.5'/Roll	5.3	2.4	
**Material thickness includes PPA 571 coating - Base material thickness is 0.015"										
<b>316 Stainless Steel Band Uncoated</b>										
C40299	316 SS	1/4	6.4	0.020	0.51	400	100'/Roll	2.0	0.9	C00169 C00369 C07569* C08569* C40099 J02069*
C40399	316 SS	3/8	9.6	0.025	0.64	750	100'/Roll	3.5	1.6	
C40499	316 SS	1/2	12.7	0.030	0.76	1200	100'/Roll	4.9	2.2	
C404B9	316 SS	1/2	12.7	0.030	0.76	1200	Blue Tote 100'/Roll	5.6	2.6	
C40599	316 SS	5/8	15.8	0.030	0.76	1500	100'/Roll	6.2	2.8	
C405C9	316 SS	5/8	15.8	0.030	0.76	1500	Green Tote 100'/Roll	6.9	3.1	
C40699	316 SS	3/4	19.1	0.030	0.76	1800	100'/Roll	7.5	3.4	
C406R9	316 SS	3/4	19.1	0.030	0.76	1800	Red Tote 100'/Roll	8.2	3.7	
*The J02069 can be used with 3/8" maximum width product. C07569 / C08569 tools for use on max 0.025" (0.63mm) thickness.										



## 316 Stainless Steel Ear-Lokt Buckle

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>316 Stainless Steel Ear-Lokt Buckle</b>						
C45299**	316 SS	1/4	6.4	100/Box	0.3	0.1
C45399	316 SS	3/8	9.6	100/Box	0.8	0.4
C45499	316 SS	1/2	12.7	100/Box	2.1	1.0
C45599	316 SS	5/8	15.8	100/Box	2.4	1.1
C45699	316 SS	3/4	19.1	100/Box	3.7	1.7
** Clip Style						

## 316 Stainless Steel Clip

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>316 Stainless Steel Clip</b>						
AE4529	316 SS	1/4	6.4	100/Box	0.3	0.1
AE4539	316 SS	3/8	9.6	100/Box	0.6	0.3
AE4549	316 SS	1/2	12.7	100/Box	1.0	0.4
AE4559	316 SS	5/8	15.8	100/Box	1.1	0.5
AE4569	316 SS	3/4	19.1	100/Box	1.3	0.6

# Corrosion Resistant Band & Buckle

## Type 317L Stainless Steel Band

This alloy has superior corrosion resistance and is typically used to wrap bleach drums in the pulp and paper mills. The “L” indicates a low carbon content, which significantly improves its welding characteristics. May be subject to extended lead times and minimum order quantities. Call for quotes.

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
<b>317L Band</b>										
C41399	317L 1/4 Hard SS	3/8	9.6	0.030	0.76	1290	300'/Roll	11.9	5.3	C00169 C00369 C40099
C42499	317L 1/4 Hard SS	1/2	12.7	0.020	0.51	1160	300'/Roll	10.2	4.6	
C41499	317L 1/4 Hard SS	1/2	12.7	0.030	0.76	1725	300'/Roll	15.9	7.2	
C41599	317L 1/4 Hard SS	5/8	15.8	0.030	0.76	2150	300'/Roll	19.9	9.0	
C41699	317L 1/4 Hard SS	3/4	19.1	0.030	0.76	2580	300'/Roll	23.9	10.8	



## Alloy 400 Band

This is the material of choice for submerged marine and harsh chemical applications. May be subject to extended lead times and minimum order quantities. Call for quotes.

Part No.	Material	Width		Thickness		Average Breaking Strength (lbs)	Package Quantity	Weight		Application Tools
		in	mm	in	mm			lbs	kg	
<b>Alloy 400 Band</b>										
C80399	Alloy 400 Band	3/8	9.6	0.025	0.64	630	100'/Roll	3.7	1.7	C00169 C00369 C40099 J02069*
C80599	Alloy 400 Band	5/8	15.8	0.030	0.76	1310	100'/Roll	7.7	3.5	
C80699	Alloy 400 Band	3/4	19.1	0.030	0.76	1595	100'/Roll	7.7	3.6	

\*The J02069 can be used with 3/8" maximum width product.



## Alloy 400 Buckle

May be subject to extended lead times and minimum order quantities. Call for quotes.

Part No.	Material	Width		Package Quantity	Weight	
		in	mm		lbs	kg
<b>Alloy 400 Buckle</b>						
C85399	Alloy 400	3/8	9.6	100/Box	0.8	0.4
C85599	Alloy 400	5/8	15.8	100/Box	2.4	1.0
C85699	Alloy 400	3/4	19.1	100/Box	3.7	1.7



# Special Purpose Band

## All Purpose Band (coated & uncoated)

Part No.	Material	Width		Thickness		Diameter of Hole		Package Quantity	Weight	
		in	mm	in	mm	in	mm		lbs	kg
<b>All Purpose Band PPA571 Coated</b>										
AE4759	316 SS	1/2	12.7	0.050	1.3	0.19	5	82.5'/Roll	3.1	1.4
AE4769	316 SS	3/4	19.1	0.050	1.3	0.27	7	82.5'/Roll	5.3	2.4
AE4779	316 SS	1	25.4	0.050	1.3	0.31	8	82.5'/Roll	7.3	3.3
<b>NOTE: Material thickness includes PPA 571 coating - Base material thickness is 0.030"</b>										
<b>All Purpose Band Uncoated</b>										
AE4259	316 SS	1/2	12.7	0.030	0.76	0.19	5	82.5'/Roll	3.1	1.4



# General Use Band & Buckle

## Roll Band with COLOR-IT®

Part No.	Material	Width		Thickness		Package Quantity	Weight		Color	RAL#	Application Tools	
		in	mm	in	mm		lbs	kg				
<b>Roll Band with COLOR-IT® - Polyester Coating</b>												
C144C9-P000	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	White	9016	C00169 C00369 C07569* C08569* C40099	
C144C9-P100	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Red	3001		
C144C9-P200	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Orange	2008		
C144C9-P300	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Yellow	1018		
C144C9-P302	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Tan	1001		
C144C9-P400	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Green	6032		
C144C9-P500	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Blue	5002		
C144C9-P550	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Lt. Blue	5012		
C144C9-P600	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Purple	4008		
C144C9-P700	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Gray	7036		
C144C9-P800	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Brown	8002		
C144C9-P900	201/301 SS	1/2	12.7	0.025	0.64	100/Roll	4.47	2	Black	9004		
C206C9-P900	201/301 SS	3/4	19.1	0.030	0.76	100/Roll	7.6	3.4	Black	9004		
C14599-P000	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	White	9016		
C14599-P100	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Red	3001		
C14599-P200	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Orange	2008		
C14599-P300	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Yellow	1018		
C14599-P302	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Tan	1001		
C14599-P400	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Green	6032		
C14599-P500	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Blue	5002		
C14599-P550	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Lt. Blue	5012		
C14599-P600	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Purple	4008		
C14599-P700	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Gray	7036		
C14599-P800	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Brown	8002		
C14599-P900	201/301 SS	5/8	15.9	0.025	0.64	100/Roll	5.48	2.5	Black	9004		
<b>Ear-Lokt Buckles with COLOR-IT® - Zinc Coating</b>												
LKEC-A08-Z900	201/301 SS	1/2	12.7			100/Box	1.7	0.8	Black	9004		
BKEC-A12-Z900	201/301 SS	3/4	19.1			100/Box	3.5	1.6	Black	9004		

Colored Roll Band in Tote



\* C07569 / C08569 tools for use on max 0.025" (0.63mm) thickness

Buckles		Width		Package Quantity	Color	Buckle Type
Part No.	Material	in	mm			
BKVC-A08-Z900	201/301 SS	1/2	12.7	100/Box	Black Zinc Coated Buckles	Valu-Clip
BKPC-A10-Z900	201/301 SS	5/8	15.8	100/Box	Black Zinc Coated Buckles	Center Punch



## BAND-IT® Band & Buckle Kit C27699

Basic starter kit in a polyethylene case

C27699 - 1/2" band & buckle kit: 1- C00169, 1- C20499, 1- C25499 and 1- C72499 (kit weight - 17.2lbs, 7.8kg)

Kit Includes	
Part No.	Description
C00169	Banding tool
C20499	100' 1/2" 201 SS Banding
C25499	Box of 100 1/2" EAR-LOKT Buckles
C72499	Box of 25 1/2" SCR-LOKT Buckles
Carrying Case	

